

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 30.06.2021

Version number 7 (replaces version 6)

Revision: 30.06.2021

**\* SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** PENETRON® LATEX**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture:** Liquid Mortar Improver**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

PENETRON HELLAS S.A. G.E.MH. No: 07278001000  
50, THRAKOMAKEDONON AV., 136 79 ACHARNES, GREECE  
TEL.: +30 210 2448250 - FAX: + 30 210 2476803  
Email: info@penetron.gr Site: www.penetron.gr

**1.4 Emergency telephone number:**

European Emergency Tel.: 112

**\* SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation EC No 1272/2008 CLP:**

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

**2.2 Label elements****Labelling according to Regulation EC No 1272/2008 CLP:** Void**Hazard pictograms:** Void**Signal word:** Void**Hazard statements:** Void**Precautionary statements**

P102 Keep out of reach of children.

**Additional information:**

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**\* SECTION 3: Composition/information on ingredients****3.2 Mixtures****Description:**

Polymer / Aqueous dispersion

Mixture: consisting of the following components.

(Contd. on page 2)

GB

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 30.06.2021

Version number 7 (replaces version 6)

Revision: 30.06.2021

**Trade name:** PENETRON® LATEX

(Contd. of page 1)

**Ingredients according Regulation (EU) 2020/878:**

CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one ☠ Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400; ☠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	<0.05%
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) ☠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ☠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ☠ Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.00025-<0.0015%

**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:** Take affected persons out into the fresh air.**After inhalation:**

If breathing is difficult, remove to fresh air. Restore breathing. Keep warm and quiet. Notify physician.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

**After skin contact:**

Wash the skin immediately with soap and water.

If skin irritation continues, consult a doctor.

**After eye contact:**

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for at least 15 minutes.

Get medical attention if irritation occurs.

Avoid strong water jet-risk of cornea damage, consult a doctor.

**After swallowing:**

Do not induce vomiting.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

**4.2 Most important symptoms and effects, both acute and delayed**

Gastric or intestinal disorders

Nausea

Vomiting

Repeated or prolonged exposure may cause irritation of eyes and skin

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

GB

(Contd. on page 3)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 30.06.2021

Version number 7 (replaces version 6)

Revision: 30.06.2021

**Trade name:** PENETRON® LATEX

(Contd. of page 2)

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing agents:

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

#### 5.3 Advice for firefighters

##### Protective equipment:

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Cool closed containers exposed to fire by spraying water.

##### Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Avoid contact with skin and eyes.

**6.1.1 For non-emergency personnel** Avoid contact with dripping or leaking material

**6.1.2 For emergency responders**

First-aid responders must wear protective clothing, gloves, goggles and respiratory device with filter type A.

**6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

Large spills should be collected mechanically (remove by pumping) for disposal.

Dispose contaminated material as waste according to item 13.

#### 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Avoid contact with skin, eyes and clothing.

Avoid inhaling vapors.

Use adequate personal protective equipment as required. For more information regarding protective equipment see section 8.

Do not eat, drink or smoke during the usage of the product.

Wash hands before each break and after finishing work.

**Information about fire - and explosion protection:** No special measures required.

#### 7.2 Conditions for safe storage, including any incompatibilities

**Storage:** Store the product in closed original containers in a well-ventilated room.

**Requirements to be met by storerooms and receptacles:** Store in original container.

**Information about storage in one common storage facility:** Keep away from heat sources, ignition sources.

#### Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 5-35 °C

Protect from direct sunlight.

(Contd. on page 4)

GB

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 30.06.2021

Version number 7 (replaces version 6)

Revision: 30.06.2021

**Trade name:** PENETRON® LATEX

(Contd. of page 3)

**7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**8.2 Exposure controls**

**8.2.1. Appropriate engineering controls** Provide adequate ventilation.

**Appropriate engineering controls** No further data; see item 7.

**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke while using the product.

Avoid contact with skin and eyes.

Take off contaminated clothing and wash before reuse.

Do not breathe vapours or mists.

**Respiratory protection:** Not required under normal conditions of use.

**Hand protection**

Protective gloves resistant to chemicals (standard EN 374-1)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  
 The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Nitrile rubber

Break through time: 480 min

Glove thickness: 0.1 - 0.4 mm

**Penetration time of glove material**

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

**Eye/face protection**

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

**Body protection:** Not required in normal conditions, if it is used as directed.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information**

**Physical state**

Liquid

**Colour:**

White

(Contd. on page 5)

GB

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 30.06.2021

Version number 7 (replaces version 6)

Revision: 30.06.2021

**Trade name:** PENETRON® LATEX

(Contd. of page 4)

<b>Odour:</b>	Slight / Aromatic
<b>Odour threshold:</b>	Not determined
<b>Melting point/freezing point:</b>	Not determined
<b>Boiling point or initial boiling point and boiling range</b>	Not determined
<b>Flammability</b>	Not applicable
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not determined
<b>Upper:</b>	Not determined
<b>Flash point:</b>	Not Flammable
<b>Auto-ignition temperature:</b>	Product is not selfigniting.
<b>Decomposition temperature:</b>	Not determined
<b>pH at 20 °C</b>	9-11
<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	Not determined
<b>Kinematic viscosity</b>	
<b>Dynamic at 20 °C:</b>	30-150 mPas
<b>Solubility</b>	
<b>water:</b>	Insoluble
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined
<b>Vapour pressure at 20 °C:</b>	23 hPa
<b>Density and/or relative density</b>	
<b>Density at 20 °C:</b>	0.9-1.1 g/cm <sup>3</sup>
<b>Vapour density</b>	Not determined

**9.2 Other information**

<b>Appearance:</b>	
<b>Form:</b>	Liquid
<b>Important information on protection of health and environment, and on safety.</b>	
<b>Auto-ignition temperature:</b>	Not determined
<b>Explosive properties:</b>	Product does not present an explosion hazard.
<b>Cloud point / clarification point:</b>	
<b>Oxidising properties</b>	Not considered as oxidising.
<b>Evaporation rate</b>	Not determined

**Information with regard to physical hazard classes**

<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void
<b>Self-heating substances and mixtures</b>	Void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
<b>Oxidising liquids</b>	Void

(Contd. on page 6)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 30.06.2021

Version number 7 (replaces version 6)

Revision: 30.06.2021

**Trade name:** PENETRON® LATEX

(Contd. of page 5)

<b>Oxidising solids</b>	Void
<b>Organic peroxides</b>	Void
<b>Corrosive to metals</b>	Void
<b>Desensitised explosives</b>	Void

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability**

**Thermal decomposition / conditions to be avoided** Stable at environment temperature.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.

**10.4 Conditions to avoid**

High Temperatures

Direct Sunlight

**10.5 Incompatible materials** No further relevant information available.

**10.6 Hazardous decomposition products** No dangerous decomposition products known.

### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

**CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one**

Oral	LD50	1,020 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Additional toxicological information:**

**Repeated dose toxicity** Based on available data, the classification criteria are not met.

**11.2 Information on other hazards**

**Endocrine disrupting properties**

None of the ingredients is listed.

### SECTION 12: Ecological information

**12.1 Toxicity**

**Aquatic toxicity:**

**CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one**

EC50 (72h)	0.15 mg/l (sec)
EC50 (48h)	1.1 mg/l (daphnia magna)

(Contd. on page 7)

GB

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 30.06.2021

Version number 7 (replaces version 6)

Revision: 30.06.2021

**Trade name:** PENETRON® LATEX

(Contd. of page 6)

LC50 (96h) 1.6 mg/l (Oncorhynchus mykiss)

**CAS: 55965-84-9 reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)**

EC50 (48h) 0.16 mg/l (daphnia magna)

LC50 (96h) 0.19 mg/l (Oncorhynchus mykiss)

**12.2 Persistence and degradability**

Taking into consideration the properties of several components, the product is estimated not to be readily biodegradable.

**12.3 Bioaccumulative potential** Not bioaccumulative.**12.4 Mobility in soil**

Physicochemical elimination potential: 98%, OECD TG 302

The product can be eliminated from water with abiotic processes

eg Absorption on activated sludge

**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.**12.7 Other adverse effects****Additional ecological information:****General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation**

Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**Uncleaned packaging:****Recommendation:**

Disposal must be made according to official regulations.

Packaging may be reused or recycled after cleaning.

**SECTION 14: Transport information****14.1 UN number or ID number**

ADR, ADN, IMDG, IATA

Void

**14.2 UN proper shipping name**

ADR, ADN, IMDG, IATA

Void

**14.3 Transport hazard class(es)**

ADR, ADN, IMDG, IATA

Class

Void

(Contd. on page 8)



**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 30.06.2021

Version number 7 (replaces version 6)

Revision: 30.06.2021

**Trade name:** PENETRON® LATEX

(Contd. of page 7)

**14.4 Packing group****ADR, IMDG, IATA**

Void

**14.5 Environmental hazards:**

Not applicable.

**14.6 Special precautions for user**

Not applicable.

**14.7 Maritime transport in bulk according to IMO****instruments**

Not applicable.

**UN "Model Regulation":**

Void

\* **SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as amended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

**National regulations:****Other regulations, limitations and prohibitive regulations****Substances of very high concern (SVHC) according to REACH, Article 57**

It doesn't contain substances of very high concern (SVHC).

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

**Department issuing SDS:**

SUSTCHEM S.A.

REACH &amp; Chemical Services Department

A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece

T: +30 210 8252510 | F: +30 210 8252575

W: www.sustchem.gr | E: info@suschem.gr

(Contd. on page 9)



**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 30.06.2021

Version number 7 (replaces version 6)

Revision: 30.06.2021

**Trade name:** PENETRON® LATEX

(Contd. of page 8)

**Version number of previous version: 6****Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

**\* Data compared to the previous version altered.**

GB